



Kubo Pricebook

May 2024

TIPS Contract 240301
Furniture, Furnishings, and Services

Contents

Caution	iii
Personal Tower	2
Lockers	4
w/ Standard Key Lock	4
w/ Hasp Lock	6
w/ Standard Keypad Electronic Lock	8
w/ Premium Keypad Electronic Lock	10

Caution

Load Bottom Drawer First

- Operate one drawer at a time
- Units may tip if loaded incorrectly
- Units should be attached to a wall or other furniture to reduce tipping hazard
- Always load the heaviest files in the bottom drawer


Heavy Load

- Some products must be anchored to wall to ensure stability & safety.
- It is the owner and installers responsibility to ensure that the wall type and construction is of sufficient strength to carry the loads of any wall mounted products and their contents.
- Failure of the wall and anchors to support all imposed loads may result in property damage and/or personal injury.
- Tayco can provide size and empty weight of its products only. As wall blocking is considered a building construction process, Tayco cannot provide recommendations in this respect and cannot be responsible for damage or injury that may occur as a result of improper installation and/or blocking.

Instability Hazard

Mobile items on casters such as flip top, personal and movable tables of any type and storage items of any type may present an instability hazard if not secured correctly while in use or in storage. Flip top tables or training tables of any type, are inherently more unstable when folded. Tayco provides the following guidelines & warnings when using mobile products:

- Lock casters immediately after moving. Do not leave the casters unlocked when in use or in storage.
- Motion may increase the instability of any item with casters. If the wheels hit an obstruction the table's forward momentum often causes overturn, especially if the item is not equipped with wheel extensions. Exercise strong caution while moving these items.
- Use caution when abrupt level changes in the floor are present (such as a doorway or room threshold) as caster failure or tipping may result.
- Do not stand, sit or lean on mobile items for support. They are not intended for this use and personal injury or property damage may result.
- Mobile units that feature height adjustable elements must be lowered to the minimum compressed height when moving to prevent instability. It is also recommended the user remove all computer equipment or other accessories to prevent possible weight imbalance or damage to equipment.
- Failure to follow the guidelines above may result in property damage or personal injury.



What's Included:

One (1) personal tower

How to Specify:

Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order. Refer to the laminate finish card for details.

Refer to metal swatches for metal selections

Choose handle type and finish

Option shelf ledge paint finish

Notes:

42"H and 45"H come with two adjustable shelves, 50"H and 53"H come with three adjustable shelves

Interior is always white

Side panels can be removed to change handedness

Coat hook is located behind the shelves

Personal towers include lock and keys

Storm PET pad finish at the bottom of the tower

Options:


Laminate color

Handle color

Handle style

Shelf ledge color

Code	Price	H (in.)	W (in.)	Depth (in.)	Weight (kg)	Volume (m ³)
U-FTP0-421224	2594	42	12	24	140.24	7
U-FTP0-421230	2600	42	12	30	175.3	8.75
U-FTP0-421824	2725	42	18	24	210.36	10.5
U-FTP0-421830	2810	42	18	30	263.05	13.13
U-FTP0-451224	2600	45	12	24	150.26	7.5
U-FTP0-451230	2686	45	12	30	187.92	9.38
U-FTP0-451824	2730	45	18	24	225.38	11.25
U-FTP0-451830	2848	45	18	30	281.74	14.06
U-FTP0-501224	2860	50	12	24	166.88	8.33
U-FTP0-501230	2866	50	12	30	208.75	10.42
U-FTP0-501824	3070	50	18	24	231.02	12.5
U-FTP0-501830	3076	50	18	30	296.32	15.63
U-FTP0-531224	2866	53	12	24	176.9	8.83
U-FTP0-531230	2952	53	12	30	221.22	11.04
U-FTP0-531824	3076	53	18	24	233.02	13.25
U-FTP0-531830	3193	53	18	30	302.3	15.63



What's Included:

Locker(s) with standard key lock,
Small Mckay handle, coat hook.

How to Specify:

Specify laminate for body and door.

Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order. Refer to the laminate finish card for details.

Specify handle finish. Refer to the metal finish card for details..

Choose left hand or right hand.

Options:

Height:	42", 49", 72"
Width:	12", 16", 24", 32", 36", 48"
Depth:	20"
Laminate color	
Handle color	

Notes:

Lockers have recessed top.
Common top sold separately.


One fixed shelf on single tier lockers 72"H only

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Left Hand: 3-cluster						
U-L3SL-362042-3C-L	2598	36	20	42	145	17.5
U-L3SL-362049-3C-L	2652	36	20	49	154	20.42
U-L3SL-482042-3C-L	2703	48	20	42	168	23.33
U-L3SL-482049-3C-L	2747	48	20	49	173	27.22
U-L6SL-362042-3C-L	3235	36	20	42	165	17.5
U-L6SL-362049-3C-L	3265	36	20	49	171	20.42
U-L6SL-482042-3C-L	3314	48	20	42	180	23.33
U-L6SL-482049-3C-L	3365	48	20	49	188	27.22

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Right Hand: 3-cluster						
U-L3SL-362042-3C-R	2598	36	20	42	145	17.5
U-L3SL-362049-3C-R	2652	36	20	49	154	20.42
U-L3SL-482042-3C-R	2703	48	20	42	168	23.33
U-L3SL-482049-3C-R	2747	48	20	49	173	27.22
U-L6SL-362042-3C-R	3235	36	20	42	165	17.5
U-L6SL-362049-3C-R	3265	36	20	49	171	20.42
U-L6SL-482042-3C-R	3314	48	20	42	180	23.33
U-L6SL-482049-3C-R	3365	48	20	49	188	27.22

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Left Hand: 1-cluster						
U-L1SL-122042-1C-L	1266	12	20	42	50	5.83
U-L1SL-122049-1C-L	1302	12	20	49	55	6.81
U-L1SL-122072-1C-L	1467	12	20	72	65	10
U-L1SL-162042-1C-L	1301	16	20	42	54	7.78
U-L1SL-162049-1C-L	1337	16	20	49	59	9.07
U-L1SL-162072-1C-L	1564	16	20	72	69	13.33
U-L2SL-122042-1C-L	1534	12	20	42	56	5.83
U-L2SL-122049-1C-L	1573	12	20	49	61	6.81
U-L2SL-122072-1C-L	1666	12	20	72	71	10
U-L2SL-162042-1C-L	1479	16	20	42	60	7.78
U-L2SL-162049-1C-L	1515	16	20	49	65	9.07
U-L2SL-162072-1C-L	1791	16	20	72	78	13.33
U-L3SL-122072-1C-L	2009	12	20	72	85	10
U-L3SL-162072-1C-L	2062	16	20	72	89	13.33
Left Hand: 2-cluster						
U-L2SL-242042-2C-L	1935	24	20	42	92	11.67
U-L2SL-242049-2C-L	1982	24	20	49	100	13.61
U-L2SL-242072-2C-L	2482	24	20	72	110	30
U-L2SL-322042-2C-L	2121	32	20	42	98	15.56
U-L2SL-322049-2C-L	2161	32	20	49	108	18.15
U-L2SL-322072-2C-L	2704	32	20	72	120	26.67
U-L4SL-242042-2C-L	2402	24	20	42	101	11.67
U-L4SL-242049-2C-L	2448	24	20	49	109	13.61
U-L4SL-242072-2C-L	2814	24	20	72	129	20
U-L4SL-322042-2C-L	2591	32	20	42	108	15.56
U-L4SL-322049-2C-L	2632	32	20	49	118	18.15
U-L4SL-322072-2C-L	3009	32	20	72	128	26.67
U-L6SL-242072-2C-L	3181	24	20	72	133	20
U-L6SL-322072-2C-L	3348	32	20	72	138	26.67

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Right Hand: 1-cluster						
U-L1SL-122042-1C-R	1266	12	20	42	50	5.83
U-L1SL-122049-1C-R	1302	12	20	49	55	6.81
U-L1SL-122072-1C-R	1467	12	20	72	65	10
U-L1SL-162042-1C-R	1301	16	20	42	54	7.78
U-L1SL-162049-1C-R	1337	16	20	49	59	9.07
U-L1SL-162072-1C-R	1564	16	20	72	69	13.33
U-L2SL-122042-1C-R	1534	12	20	42	56	5.83
U-L2SL-122049-1C-R	1573	12	20	49	61	6.81
U-L2SL-122072-1C-R	1666	12	20	72	71	10
U-L2SL-162042-1C-R	1479	16	20	42	60	7.78
U-L2SL-162049-1C-R	1515	16	20	49	65	9.07
U-L2SL-162072-1C-R	1791	16	20	72	78	13.33
U-L3SL-122072-1C-R	2009	12	20	72	85	10
U-L3SL-162072-1C-R	2062	16	20	72	89	13.33
Right Hand: 2-cluster						
U-L2SL-242042-2C-R	1935	24	20	42	92	11.67
U-L2SL-242049-2C-R	1982	24	20	49	100	13.61
U-L2SL-242072-2C-R	2482	24	20	72	110	30
U-L2SL-322042-2C-R	2121	32	20	42	98	15.56
U-L2SL-322049-2C-R	2161	32	20	49	108	18.15
U-L2SL-322072-2C-R	2704	32	20	72	120	26.67
U-L4SL-242042-2C-R	2402	24	20	42	101	11.67
U-L4SL-242049-2C-R	2448	24	20	49	109	13.61
U-L4SL-242072-2C-R	2814	24	20	72	129	20
U-L4SL-322042-2C-R	2591	32	20	42	108	15.56
U-L4SL-322049-2C-R	2632	32	20	49	118	18.15
U-L4SL-322072-2C-R	3009	32	20	72	128	26.67
U-L6SL-242072-2C-R	3181	24	20	72	133	20
U-L6SL-322072-2C-R	3348	32	20	72	138	26.67



What's Included:

Locker(s) with hasp lock, coat hook.

How to Specify:

Specify laminate for body and door.

Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order. Refer to the laminate finish card for details.

Choose left hand or right hand.

Notes:

Lockers have recessed top. Common top sold separately.

One fixed shelf on single tier lockers 72"H only.

No handle on lockers with hasp lock.

Padlock not included.

Options:

Height: 42", 49", 72"

Width: 12", 16", 24", 32", 36", 48"

Depth: 20"


Laminate color

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Left Hand: 3-cluster						
U-L3HL-362042-3C-L	2601	36	20	42	145	17.5
U-L3HL-362049-3C-L	2656	36	20	49	154	20.42
U-L3HL-482042-3C-L	2706	48	20	42	168	23.33
U-L3HL-482049-3C-L	2749	48	20	49	173	27.22
U-L6HL-362042-3C-L	3430	36	20	42	165	17.5
U-L6HL-362049-3C-L	3460	36	20	49	171	20.42
U-L6HL-482042-3C-L	3508	48	20	42	180	23.33
U-L6HL-482049-3C-L	3558	48	20	49	188	27.22

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Right Hand: 3-cluster						
U-L3HL-362042-3C-R	2601	36	20	42	145	17.5
U-L3HL-362049-3C-R	2656	36	20	49	154	20.42
U-L3HL-482042-3C-R	2706	48	20	42	168	23.33
U-L3HL-482049-3C-R	2749	48	20	49	173	27.22
U-L6HL-362042-3C-R	3430	36	20	42	165	17.5
U-L6HL-362049-3C-R	3460	36	20	49	171	20.42
U-L6HL-482042-3C-R	3508	48	20	42	180	23.33
U-L6HL-482049-3C-R	3558	48	20	49	188	27.22

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Left Hand: 1-cluster						
U-L1HL-122042-1C-L	1323	12	20	42	50	5.83
U-L1HL-122049-1C-L	1359	12	20	49	55	6.81
U-L1HL-122072-1C-L	1520	12	20	72	65	10
U-L1HL-162042-1C-L	1358	16	20	42	54	7.78
U-L1HL-162049-1C-L	1394	16	20	49	59	9.07
U-L1HL-162072-1C-L	1616	16	20	72	69	13.33
U-L2HL-122042-1C-L	1616	12	20	42	56	5.83
U-L2HL-122049-1C-L	1655	12	20	49	61	6.81
U-L2HL-122072-1C-L	1750	12	20	72	71	10
U-L2HL-162042-1C-L	1568	16	20	42	60	7.78
U-L2HL-162049-1C-L	1604	16	20	49	65	9.07
U-L2HL-162072-1C-L	1870	16	20	72	78	13.33
U-L3HL-122072-1C-L	2032	12	20	72	85	10
U-L3HL-162072-1C-L	2084	16	20	72	89	13.33
Left Hand: 2-cluster						
U-L2HL-242042-2C-L	2164	24	20	42	92	11.67
U-L2HL-242049-2C-L	2211	24	20	49	100	13.61
U-L2HL-242072-2C-L	2698	24	20	72	110	30
U-L2HL-322042-2C-L	2348	32	20	42	98	15.56
U-L2HL-322049-2C-L	2388	32	20	49	108	18.15
U-L2HL-322072-2C-L	2918	32	20	72	120	26.67
U-L4HL-242042-2C-L	2604	24	20	42	101	11.67
U-L4HL-242049-2C-L	2649	24	20	49	109	13.61
U-L4HL-242072-2C-L	3012	24	20	72	129	20
U-L4HL-322042-2C-L	2791	32	20	42	108	15.56
U-L4HL-322049-2C-L	2832	32	20	49	118	18.15
U-L4HL-322072-2C-L	3204	32	20	72	128	26.67
U-L6HL-242072-2C-L	3437	24	20	72	133	20
U-L6HL-322072-2C-L	3603	32	20	72	138	26.67

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Right Hand: 1-cluster						
U-L1HL-122042-1C-R	1323	12	20	42	50	5.83
U-L1HL-122049-1C-R	1359	12	20	49	55	6.81
U-L1HL-122072-1C-R	1520	12	20	72	65	10
U-L1HL-162042-1C-R	1358	16	20	42	54	7.78
U-L1HL-162049-1C-R	1394	16	20	49	59	9.07
U-L1HL-162072-1C-R	1616	16	20	72	69	13.33
U-L2HL-122042-1C-R	1616	12	20	42	56	5.83
U-L2HL-122049-1C-R	1655	12	20	49	61	6.81
U-L2HL-122072-1C-R	1750	12	20	72	71	10
U-L2HL-162042-1C-R	1568	16	20	42	60	7.78
U-L2HL-162049-1C-R	1604	16	20	49	65	9.07
U-L2HL-162072-1C-R	1870	16	20	72	78	13.33
U-L3HL-122072-1C-R	2032	12	20	72	85	10
U-L3HL-162072-1C-R	2084	16	20	72	89	13.33
Right Hand: 2-cluster						
U-L2HL-242042-2C-R	2164	24	20	42	92	11.67
U-L2HL-242049-2C-R	2211	24	20	49	100	13.61
U-L2HL-242072-2C-R	2698	24	20	72	110	30
U-L2HL-322042-2C-R	2348	32	20	42	98	15.56
U-L2HL-322049-2C-R	2388	32	20	49	108	18.15
U-L2HL-322072-2C-R	2918	32	20	72	120	26.67
U-L4HL-242042-2C-R	2604	24	20	42	101	11.67
U-L4HL-242049-2C-R	2649	24	20	49	109	13.61
U-L4HL-242072-2C-R	3012	24	20	72	129	20
U-L4HL-322042-2C-R	2791	32	20	42	108	15.56
U-L4HL-322049-2C-R	2832	32	20	49	118	18.15
U-L4HL-322072-2C-R	3204	32	20	72	128	26.67
U-L6HL-242072-2C-R	3437	24	20	72	133	20
U-L6HL-322072-2C-R	3603	32	20	72	138	26.67



What's Included:

Locker(s) with standard keypad electronic lock,
Small McKay handle, coat hook.

How to Specify:

Specify laminate for body and door.
Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order. Refer to the laminate finish card for details.
Specify handle finish. Refer to the metal finish card for details..
Choose left hand or right hand.

Options:

Height:	42", 49", 72"
Width:	12", 16", 24", 32", 36", 48"
Depth:	20"
Laminate color	
Handle color	

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Left Hand: 3-cluster						
U-L3EL-362042-3C-L	2750	36	20	42	145	17.5
U-L3EL-362049-3C-L	2804	36	20	49	154	20.42
U-L3EL-482042-3C-L	2856	48	20	42	168	23.33
U-L3EL-482049-3C-L	2899	48	20	49	173	27.22
U-L6EL-362042-3C-L	3655	36	20	42	165	17.5
U-L6EL-362049-3C-L	3685	36	20	49	171	20.42
U-L6EL-482042-3C-L	3734	48	20	42	180	23.33
U-L6EL-482049-3C-L	3785	48	20	49	188	27.22


Notes:

Lockers have recessed top. Common top sold separately.
1 fixed shelf on single tier lockers 72"H only.
Password can consist of 4-15 digits. The system can store 20 sets of password.
Two AAA batteries (not included) can be used 10000 times and replaced easily.
Automatic power shortage prompts.
Switch between public and private mode.
Auto alarm gets activated after four wrong password attempts.
Both user and management password available.
Emergency master key sold separately.
Master key (8540-1427) - \$36 per key

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Right Hand: 3-cluster						
U-L3EL-362042-3C-R	2750	36	20	42	145	17.5
U-L3EL-362049-3C-R	2804	36	20	49	154	20.42
U-L3EL-482042-3C-R	2856	48	20	42	168	23.33
U-L3EL-482049-3C-R	2899	48	20	49	173	27.22
U-L6EL-362042-3C-R	3655	36	20	42	165	17.5
U-L6EL-362049-3C-R	3685	36	20	49	171	20.42
U-L6EL-482042-3C-R	3734	48	20	42	180	23.33
U-L6EL-482049-3C-R	3785	48	20	49	188	27.22

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Left Hand: 1-cluster						
U-L1EL-122042-1C-L	1336	12	20	42	50	5.83
U-L1EL-122049-1C-L	1440	12	20	49	55	6.81
U-L1EL-122072-1C-L	1605	12	20	72	65	10
U-L1EL-162042-1C-L	1438	16	20	42	54	7.78
U-L1EL-162049-1C-L	1474	16	20	49	59	9.07
U-L1EL-162072-1C-L	1701	16	20	72	69	13.33
U-L2EL-122042-1C-L	1723	12	20	42	56	5.83
U-L2EL-122049-1C-L	1762	12	20	49	61	6.81
U-L2EL-122072-1C-L	1854	12	20	72	71	10
U-L2EL-162042-1C-L	1668	16	20	42	60	7.78
U-L2EL-162049-1C-L	1703	16	20	49	65	9.07
U-L2EL-162072-1C-L	1979	16	20	72	78	13.33
U-L3EL-122072-1C-L	2161	12	20	72	85	10
U-L3EL-162072-1C-L	2214	16	20	72	89	13.33
Left Hand: 2-cluster						
U-L2EL-242042-2C-L	2297	24	20	42	92	11.67
U-L2EL-242049-2C-L	2344	24	20	49	100	13.61
U-L2EL-242072-2C-L	2844	24	20	72	110	30
U-L2EL-322042-2C-L	2483	32	20	42	98	15.56
U-L2EL-322049-2C-L	2523	32	20	49	108	18.15
U-L2EL-322072-2C-L	3066	32	20	72	120	26.67
U-L4EL-242042-2C-L	2779	24	20	42	101	11.67
U-L4EL-242049-2C-L	2825	24	20	49	109	13.61
U-L4EL-242072-2C-L	3191	24	20	72	129	20
U-L4EL-322042-2C-L	2968	32	20	42	108	15.56
U-L4EL-322049-2C-L	3009	32	20	49	118	18.15
U-L4EL-322072-2C-L	3386	32	20	72	128	26.67
U-L6EL-242072-2C-L	3659	24	20	72	133	20
U-L6EL-322072-2C-L	3827	32	20	72	138	26.67

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Right Hand: 1-cluster						
U-L1EL-122042-1C-R	1336	12	20	42	50	5.83
U-L1EL-122049-1C-R	1440	12	20	49	55	6.81
U-L1EL-122072-1C-R	1605	12	20	72	65	10
U-L1EL-162042-1C-R	1438	16	20	42	54	7.78
U-L1EL-162049-1C-R	1474	16	20	49	59	9.07
U-L1EL-162072-1C-R	1701	16	20	72	69	13.33
U-L2EL-122042-1C-R	1723	12	20	42	56	5.83
U-L2EL-122049-1C-R	1762	12	20	49	61	6.81
U-L2EL-122072-1C-R	1854	12	20	72	71	10
U-L2EL-162042-1C-R	1668	16	20	42	60	7.78
U-L2EL-162049-1C-R	1703	16	20	49	65	9.07
U-L2EL-162072-1C-R	1979	16	20	72	78	13.33
U-L3EL-122072-1C-R	2161	12	20	72	85	10
U-L3EL-162072-1C-R	2214	16	20	72	89	13.33
Right Hand: 2-cluster						
U-L2EL-242042-2C-R	2297	24	20	42	92	11.67
U-L2EL-242049-2C-R	2344	24	20	49	100	13.61
U-L2EL-242072-2C-R	2844	24	20	72	110	30
U-L2EL-322042-2C-R	2483	32	20	42	98	15.56
U-L2EL-322049-2C-R	2523	32	20	49	108	18.15
U-L2EL-322072-2C-R	3066	32	20	72	120	26.67
U-L4EL-242042-2C-R	2779	24	20	42	101	11.67
U-L4EL-242049-2C-R	2825	24	20	49	109	13.61
U-L4EL-242072-2C-R	3191	24	20	72	129	20
U-L4EL-322042-2C-R	2968	32	20	42	108	15.56
U-L4EL-322049-2C-R	3009	32	20	49	118	18.15
U-L4EL-322072-2C-R	3386	32	20	72	128	26.67
U-L6EL-242072-2C-R	3659	24	20	72	133	20
U-L6EL-322072-2C-R	3827	32	20	72	138	26.67



What's Included:

Locker(s) with premium keypad electronic lock, coat hook.

How to Specify:

Specify laminate for body and door.

Each laminate comes with matching vinyl trim color unless otherwise specified on your purchase order. Refer to the laminate finish card for details.

Choose left hand or right hand.

Notes:

Lockers have recessed top. Common top sold separately.

One fixed shelf on single tier lockers 72"H only.

Password can consist of 4-15 digits. The system can store 20 sets of password.

Two AAA batteries (not included) can be used 10000 times and replaced easily.

Integrated handle

Reset button is available for reliable usage

RFID card (sold separately) can also be used to open the lock.

RFID card (8540-1426) - \$15 per card

Switch between public and private mode.

Options:

Height: 42", 49", 72"

Width: 12", 16", 24", 32", 36", 48"

Depth: 20"

Laminate color

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Left Hand: 3-cluster						
U-L3EP-362042-3C-L	2853	36	20	42	145	17.5
U-L3EP-362049-3C-L	2907	36	20	49	154	20.42
U-L3EP-482042-3C-L	2957	48	20	42	168	23.33
U-L3EP-482049-3C-L	3001	48	20	49	173	27.22
U-L6EP-362042-3C-L	3873	36	20	42	165	17.5
U-L6EP-362049-3C-L	3903	36	20	49	171	20.42
U-L6EP-482042-3C-L	3951	48	20	42	180	23.33
U-L6EP-482049-3C-L	4002	48	20	49	188	27.22

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Right Hand: 3-cluster						
U-L3EP-362042-3C-R	2853	36	20	42	145	17.5
U-L3EP-362049-3C-R	2907	36	20	49	154	20.42
U-L3EP-482042-3C-R	2957	48	20	42	168	23.33
U-L3EP-482049-3C-R	3001	48	20	49	173	27.22
U-L6EP-362042-3C-R	3873	36	20	42	165	17.5
U-L6EP-362049-3C-R	3903	36	20	49	171	20.42
U-L6EP-482042-3C-R	3951	48	20	42	180	23.33
U-L6EP-482049-3C-R	4002	48	20	49	188	27.22

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Left Hand: 1-cluster						
U-L1EP-122042-1C-L	1447	12	20	42	50	5.83
U-L1EP-122049-1C-L	1483	12	20	49	55	6.81
U-L1EP-122072-1C-L	1644	12	20	72	65	10
U-L1EP-162042-1C-L	1482	16	20	42	54	7.78
U-L1EP-162049-1C-L	1518	16	20	49	59	9.07
U-L1EP-162072-1C-L	1740	16	20	72	69	13.33
U-L2EP-122042-1C-L	1804	12	20	42	56	5.83
U-L2EP-122049-1C-L	1843	12	20	49	61	6.81
U-L2EP-122072-1C-L	1938	12	20	72	71	10
U-L2EP-162042-1C-L	1756	16	20	42	60	7.78
U-L2EP-162049-1C-L	1792	16	20	49	65	9.07
U-L2EP-162072-1C-L	2058	16	20	72	78	13.33
U-L3EP-122072-1C-L	2283	12	20	72	85	10
U-L3EP-162072-1C-L	2335	16	20	72	89	13.33

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Left Hand: 2-cluster						
U-L2EP-242042-2C-L	2352	24	20	42	92	11.67
U-L2EP-242049-2C-L	2398	24	20	49	100	13.61
U-L2EP-242072-2C-L	2885	24	20	72	110	30
U-L2EP-322042-2C-L	2536	32	20	42	98	15.56
U-L2EP-322049-2C-L	2576	32	20	49	108	18.15
U-L2EP-322072-2C-L	3105	32	20	72	120	26.67
U-L4EP-242042-2C-L	2919	24	20	42	101	11.67
U-L4EP-242049-2C-L	2965	24	20	49	109	13.61
U-L4EP-242072-2C-L	3327	24	20	72	129	20
U-L4EP-322042-2C-L	3106	32	20	42	108	15.56
U-L4EP-322049-2C-L	3147	32	20	49	118	18.15
U-L4EP-322072-2C-L	3520	32	20	72	128	26.67
U-L6EP-242072-2C-L	3880	24	20	72	133	20
U-L6EP-322072-2C-L	4046	32	20	72	138	26.67

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Right Hand: 1-cluster						
U-L1EP-122042-1C-R	1447	12	20	42	50	5.83
U-L1EP-122049-1C-R	1483	12	20	49	55	6.81
U-L1EP-122072-1C-R	1644	12	20	72	65	10
U-L1EP-162042-1C-R	1482	16	20	42	54	7.78
U-L1EP-162049-1C-R	1518	16	20	49	59	9.07
U-L1EP-162072-1C-R	1740	16	20	72	69	13.33
U-L2EP-122042-1C-R	1804	12	20	42	56	5.83
U-L2EP-122049-1C-R	1843	12	20	49	61	6.81
U-L2EP-122072-1C-R	1938	12	20	72	71	10
U-L2EP-162042-1C-R	1756	16	20	42	60	7.78
U-L2EP-162049-1C-R	1792	16	20	49	65	9.07
U-L2EP-162072-1C-R	2058	16	20	72	78	13.33
U-L3EP-122072-1C-R	2283	12	20	72	85	10
U-L3EP-162072-1C-R	2335	16	20	72	89	13.33

Code	Price	W (in.)	D (in.)	H (in.)	Weight (kg)	Volume (m ³)
Right Hand: 2-cluster						
U-L2EP-242042-2C-R	2352	24	20	42	92	11.67
U-L2EP-242049-2C-R	2398	24	20	49	100	13.61
U-L2EP-242072-2C-R	2885	24	20	72	110	30
U-L2EP-322042-2C-R	2536	32	20	42	98	15.56
U-L2EP-322049-2C-R	2576	32	20	49	108	18.15
U-L2EP-322072-2C-R	3105	32	20	72	120	26.67
U-L4EP-242042-2C-R	2919	24	20	42	101	11.67
U-L4EP-242049-2C-R	2965	24	20	49	109	13.61
U-L4EP-242072-2C-R	3327	24	20	72	129	20
U-L4EP-322042-2C-R	3106	32	20	42	108	15.56
U-L4EP-322049-2C-R	3147	32	20	49	118	18.15
U-L4EP-322072-2C-R	3520	32	20	72	128	26.67
U-L6EP-242072-2C-R	3880	24	20	72	133	20
U-L6EP-322072-2C-R	4046	32	20	72	138	26.67